

# Settlement Agreement Report

Third Quarter  
July – September 2018

Prepared for the  
Technical Oversight Committee

June 12, 2019  
(Original on January 28, 2019)



This report is revised from earlier versions to include Shark River Slough compliance results using the final approved flow data for federal Water Year 2018 (October 1, 2017 – September 30, 2018).

Prepared by:

Cheol Mo, Violeta Ciuca, and Jonathan P. Madden

Compliance Assessment and Reporting Section  
Water Quality Bureau  
South Florida Water Management District  
3301 Gun Club Road  
West Palm Beach, FL 33406

## **PURPOSE**

The South Florida Water Management District has prepared this report to provide a quarterly update to the Everglades Technical Oversight Committee on the compliance status with total phosphorus levels or limits defined in the 1991 Settlement Agreement, entered as a Consent Decree in 1992, and modified in 1995. The areas of interest in this report include the interior marsh stations in the Arthur R. Marshall Loxahatchee National Wildlife Refuge and two discharges to Everglades National Park: inflows to Shark River Slough and inflows to Taylor Slough and Coastal Basins.

## CONTENTS

Executive Summary .....	1
Arthur R. Marshall Loxahatchee National Wildlife Refuge.....	3
Background.....	3
Reporting Period Update.....	3
Everglades National Park .....	7
Shark River Slough.....	7
Background .....	7
Reporting Period Update .....	8
Taylor Slough and Coastal Basins .....	18
Background .....	18
Reporting Period Update .....	18

## APPENDICES

Appendix A	Monthly Total Phosphorus Concentration Data for the Arthur R. Marshall Loxahatchee National Wildlife Refuge .....	A-1
Appendix B	Weekly Grab Total Phosphorus Concentration Data for Shark River Slough ....	B-1
Appendix C	Weekly Grab Total Phosphorus Concentration Data for Taylor Slough and Coastal Basins.....	C-1
Appendix D	Calculation Methods .....	D-1
Appendix E	Document Revisions.....	E-1

## TABLES

Table 1.	Third quarter 2018: TP compliance results for the Refuge, Shark River Slough, and Taylor Slough and Coastal Basins.....	1
Table 2.	Refuge TP compliance tracking .....	6
Table 3.	Shark River Slough TP compliance tracking.....	12
Table 4.	Taylor Slough and Coastal Basins TP compliance tracking.....	23
Table A-1.	Arthur R. Marshall Loxahatchee National Wildlife Refuge monthly TP data (in parts per billion).....	A-2
Table B-1.	Weekly grab TP data (in parts per billion) for Shark River Slough.....	B-2
Table C-1.	Weekly grab TP data (in parts per billion) for Taylor Slough and Coastal Basins.....	C-2

## FIGURES

Figure 1.	Areas of interest .....	2
Figure 2.	Refuge water quality sampling and stage measurement stations. ....	4
Figure 3.	(A) Monthly TP geometric mean concentrations for the Refuge compared to calculated long-term levels. (B) Deviation of monthly geometric mean TP concentrations from calculated long-term levels.....	5
Figure 4.	ENP flow structures.....	10

Figure 5.	The 12-month TP FWMCs at inflows to Everglades National Park through Shark River Slough at the end of each water year compared to the interim and long-term total phosphorus limits.....	11
Figure 6.	The 12-month TP FWMCs in inflows to ENP through Shark River Slough at the end of each month and the TP FWMC for each sampling event using Method 1 .....	13
Figure 7.	Daily flows at Shark River Slough structures as a stacked sum of all inflows.....	14
Figure 8.	Daily flows into and out of the L-29 Canal .....	14
Figure 9.	Daily flows at S12 structures to Shark River Slough.....	15
Figure 10.	Daily flows at individual inflow structures to the L-29 Canal .....	16
Figure 11.	Flow at Shark River Slough on the day of sampling and the corresponding TP FWMCs for individual sampling events using Method 1.....	17
Figure 12.	The 12-month TP FWMCs in inflows to ENP through Taylor Slough and Coastal Basins at the end of each water year compared to the 11 ppb long-term TP limit .....	20
Figure 13.	The 12-month TP FWMCs in inflows to ENP through Taylor Slough and Coastal Basins at the end of each month and the TP FWMC for each sampling event (Method 1).....	20
Figure 14.	Daily flows into ENP as a stacked sum of Taylor Slough (structures S332D and G737) and Coastal Basins (structure S18C). .....	21
Figure 15.	Overlaid daily flows from S332D pumps and at downstream structures .....	21
Figure 16.	Daily flows at individual Taylor Slough and Coastal Basins structures into ENP. ....	21
Figure 17.	Flow from Taylor Slough and Coastal Basins structures (S332D and S18C) on the days of sampling, and the corresponding TP FWMCs for individual sampling events (Method 1). ....	24

## ACRONYMS AND ABBREVIATIONS

cfs	cubic feet per second
ENP	Everglades National Park
feet NGVD29	feet relative to the National Geodetic Vertical Datum of 1929
FWMC	flow-weighted mean concentration
kac-ft	thousand acre-feet
ppb	parts per billion
Refuge	Arthur R. Marshall Loxahatchee National Wildlife Refuge
STA	Stormwater Treatment Area
TOC	Everglades Technical Oversight Committee
TP	total phosphorus
µg/L	micrograms per liter
WCA	Water Conservation Area
WY	Water Year

## EXECUTIVE SUMMARY

This report fulfills the South Florida Water Management District's reporting requirements under the 1991 Settlement Agreement, entered as a Consent Decree in 1992 and modified in 1995, for the third quarter of 2018 (July - September 2018). Total phosphorus (TP) compliance highlights for this period are summarized below for the Arthur R. Marshall Loxahatchee National Wildlife Refuge (Refuge) and inflows to Everglades National Park (ENP) (**Table 1** and **Figure 1**):

- **Refuge:** The geometric mean TP concentration was below the long-term level for July, August, and September 2018.
- **Shark River Slough:** The 12-month TP flow-weighted mean concentrations (FWMCs) calculated using both Method 1 and Method 2 were below the 12-month long-term limit during the federal Water Year (WY), WY2018 (October 1, 2017 – September 30, 2018).
- **Taylor Slough and Coastal Basins:** All three 12-month TP FWMCs calculated using Method 1, Method 2, or Method 3 were below the 12-month long-term limit of 11 parts per billion (ppb) during federal WY2018.

**Table 1.** Third quarter 2018: TP compliance results for the Refuge, Shark River Slough, and Taylor Slough and Coastal Basins.

Month	Geometric Mean TP Concentration (ppb)	Long-Term Level (ppb)	Mean Stage (feet NGVD29)	Number of Samples	
Arthur R. Marshall Loxahatchee National Wildlife Refuge					
Jul 2018	7.5	10.1	16.41	13	
Aug 2018	7.0	10.8	16.27	12	
Sep 2018	6.0	9.0	16.64	14	
12-Month Period Ending	Total Flow (kac-ft)	12-Month TP FWMC (ppb)	Long-Term Limit (ppb)	Percent of Sampling Events Greater than 10 ppb	
				Guideline	Observed
Everglades National Park – Shark River Slough					
Jul 2018	1,889.8 (1,895.4)	7.3 (7.3)	7.6 (7.6)	40.1 (40.1)	30.8 (30.8)
Aug 2018	1,844.6 (1,859.1)	7.3 (7.3)	7.6 (7.6)	40.1 (40.1)	30.8 (30.8)
Sep 2018	1,731.8 (1,761.0)	7.3 (7.3)	7.6 (7.6)	40.1 (40.1)	30.8 (30.8)
Everglades National Park – Taylor Slough and Coastal Basins					
Jul 2018	476.3 (555.2, 536.5)	6.1 (6.0, 5.9)	11.0	53.1	3.7 (3.7, 3.7)
Aug 2018	448.6 (527.5, 508.8)	6.0 (5.9, 5.8)	11.0	53.1	3.8 (3.8, 3.8)
Sep 2018	413.3 (500.4, 481.7)	6.2 (6.0, 5.8)	11.0	53.1	3.8 (3.8, 3.8)

**Notes:**

- Key to units: ppb – parts per billion (values are actually in µg/L [micrograms per liter], which, for the purposes of this report, are equivalent to ppb); feet NGVD29 – elevation in feet relative to the National Geodetic Vertical Datum of 1929; and kac-ft – thousand acre-feet.
- Compliance for inflows to ENP (Shark River Slough, and Taylor Slough and Coastal Basins) is evaluated annually based on the 12-month TP FWMC for the federal WY ending on September 30.
- For an explanation of the multiple results for ENP inflows, see **Tables 3** and **4**.



## ARTHUR R. MARSHALL LOXAHATCHEE NATIONAL WILDLIFE REFUGE


### Background

The 1991 Settlement Agreement ended the Everglades lawsuit and was entered into by the federal government, the State of Florida, and the South Florida Water Management District. The subsequent Consent Decree, as modified in 1995, specified that interim and long-term TP concentration levels for the Refuge must be met by February 1, 1999, and December 31, 2006, respectively. Both the interim and long-term concentration levels vary monthly because they are calculated as a function of water stage measured at gaging stations 1-7, 1-8C, and 1-9 within the Refuge. The stage range within which the interim and long-term concentration levels are applicable is 15.42 to 17.14 feet relative to the National Geodetic Vertical Datum of 1929 (NGVD29). The monthly TP concentrations are determined from water samples collected at 14 interior marsh stations, LOX3 through LOX16 (**Figure 2**). As required in the Consent Decree, the concentrations are converted to a geometric mean, which is compared to the long-term concentration level. Monthly TP data for each station for the past 36 months are provided in **Appendix A**. The calculation methods specified in the Consent Decree are provided in **Appendix D**.

### Reporting Period Update


Thirteen stations were sampled in July, twelve stations in August, and all fourteen stations in September 2018. TP samples were not collected at LOX10 in July, or at LOX5 and LOX10 in August, because the water depth was less than 0.1 meter at those stations.

Sampling day average stages in the Refuge were 16.41, 16.27, and 16.64 feet NGVD29 in July, August, and September 2018, respectively (**Figure 3** and **Table 2**). The geometric means calculated from TP concentrations measured in water samples collected in July, August, and September 2018 were 7.5, 7.0, and 6.0 ppb, respectively. The geometric mean TP concentrations were below the long-term levels during the reporting period.



**Figure 2.** Refuge water quality sampling and stage measurement stations.





**Figure 3. (A)** Monthly TP geometric mean concentrations for the Refuge compared to calculated long-term levels, which are adjusted for fluctuations in stage. The geometric mean TP concentration was above the long-term level in October 2017. **(B)** Deviation of monthly geometric mean TP concentrations from calculated long-term levels. Negative values indicate that the geometric mean was lower than the long-term level.

**Table 2.** Refuge TP compliance tracking.

Month	Geometric Mean TP Concentration (ppb)	Long-Term Level (ppb) <i>Effective 12/31/2006</i>	Average Stage <sup>a</sup> (ft NGVD29)	Number of Samples
Oct-2015	7.4	7.9	16.92	14
Nov-2015	6.3	7.7	17.00	14
Dec-2015 <sup>b</sup>	6.1 (5.9)	7.7 (7.6)	17.00 (17.02)	12 (14)
Jan-2016	6.5	7.2	17.15	14
Feb-2016	5.3	7.2	17.30	14
Mar-2016	6.0	8.3	16.82	14
Apr-2016	6.9	10.3	16.36	14
May-2016	8.8	12.7	15.96	9
Jun-2016	7.2	12.7	15.97	9
Jul-2016	7.1	12.0	16.07	13
Aug-2016	6.6	13.1	15.92	6
Sep-2016	7.3	9.1	16.62	14
Oct-2016	6.1	7.8	16.96	14
Nov-2016	6.9	8.4	16.78	14
Dec-2016	5.6	9.0	16.64	14
Jan-2017	7.1	9.3	16.57	13
Feb-2017	4.4	9.6	16.52	13
Mar-2017	5.7	10.8	16.28	12
Apr-2017	6.5	12.1	16.06	7
May-2017	8.3	11.4	16.17	13
Jun-2017	7.9	7.9	16.93	14
Jul-2017	7.9	10.1	16.40	13
Aug-2017	6.6	8.8	16.69	14
Sep-2017	7.5	8.0	16.89	13
<b>Oct-2017</b>	<b>7.6</b>	<b>7.2</b>	<b>17.50</b>	<b>14</b>
Nov-2017	5.5	7.2	17.71	14
Dec-2017	7.2	7.2	17.43	14
Jan-2018	4.5	7.3	17.12	14
Feb-2018	5.8	8.2	16.85	14
Mar-2018	6.0	9.9	16.45	14
Apr-2018	9.2	12.5	16.00	9
May-2018	6.3	11.6	16.13	9
Jun-2018	7.4	8.9	16.66	14
Jul-2018	7.5	10.1	16.41	13
Aug-2018	7.0	10.8	16.27	12
Sep-2018	6.0	9.0	16.64	14

## Notes:

- Key to units: ppb – parts per billion (values are actually in µg/L [micrograms per liter], which, for the purposes of this report, are equivalent to ppb); and feet NGVD29 – elevation in feet relative to the National Geodetic Vertical Datum of 1929.
- Highlighted rows with bold, italicized text indicate when an excursion over the long-term level occurred.

a. Average stage is calculated using stage elevations at stations 1-7, 1-8C, and 1-9 for a given sampling date.

b. December 2015 values for the Refuge that include resampled data (at LOX14 and LOX15) are presented in parentheses.

## EVERGLADES NATIONAL PARK

### Shark River Slough

#### Background

The Settlement Agreement/Consent Decree (1995) specified that interim and long-term TP concentration limits for discharges into ENP (**Figure 4**) through Shark River Slough be met by October 1, 2003, and December 31, 2006, respectively. It was specified that the TP concentrations be presented as 12-month flow-weighted means. Only the TP concentrations for the WY ending September 30 are evaluated for compliance with the Consent Decree limits (**Appendix D**). The long-term TP concentration limit for inflows to Shark River Slough is represented by concentrations delivered through S12A, S12B, S12C, and S12D during the Outstanding Florida Waters baseline period of March 1, 1978, to March 1, 1979, and is adjusted for variations in flow. Inflow concentrations of TP through S12A, S12B, S12C, S12D, S333, S355A, and S355B are compared to the interim and long-term limits at the end of each WY (October 1 through September 30). The long-term limit went into effect in WY2007.

Routine monitoring was changed to weekly for all Shark River Slough sites beginning in August 2007. In accordance with Appendix A of the Consent Decree, only the every-other-week grab concentration data were used for the FWMC calculations from October 2007 forward. Weekly TP data for each station for the past 12 months are provided in **Appendix B**.

Pursuant to agreement among all Everglades Technical Oversight Committee (TOC) members at the May 14, 2013, TOC meeting, the following three changes were made to the quarterly Settlement Agreement Report: (1) publishing of the quarterly 12-month TP FWMCs for Shark River Slough is discontinued, (2) provisional quarterly 12-month TP FWMCs are posted separately to the TOC website, <https://www.sfwmd.gov/our-work/toc>, and (3) the annual 12-month TP FWMC for the WY ending on September 30 will be published once the final approved flow data for the S12A, S12B, S12C, and S12D structures become available. These changes have been implemented beginning with the January - March 2013 first quarter report. Based on a vote by the TOC on July 19, 2016, provisional 12-month results are now included in the Executive Summary of this report.

The TOC has recognized that the S356 seepage return pump, which initiated operation under the United States Army Corps of Engineers field test in fall 2015, has the ability to discharge water that originated from the Water Conservation Areas (WCAs) to Shark River Slough. The Appendix A Subteam has been tasked with recommending an appropriate method for incorporating S356 into the compliance calculation. Since adoption of a single appropriate method has not yet been made by the TOC, this report contains results based upon two calculation methods. Method 1 is TP FWMC computed as  $S12s + (S333 + S355A + S355B - S334)$ . Method 2 is TP FWMC computed as  $S12s + (S333 + S355A + S355B + S356 - S334)$  using all flow and TP grabs on biweekly compliance sampling dates. Neither method excludes S334 flow from the total flow for long-term limit calculations.

Beginning with the 12-month period ending October 2015, both Method 1 and Method 2 (in parenthesis) values have been presented.

The WY2008 concentration was above the long-term limit but, at the March 1, 2011, quarterly meeting, the TOC determined substantial evidence indicates this exceedance was due to error. The WY2012 concentration was above the long-term limit without a resampled datum, and met the long-term limit with the resampled datum. The TOC reached a consensus at the April 1, 2014, quarterly meeting on a recommendation that no further technical analysis for WY2012 was necessary. The WY2014 concentration was above the long-term limit. At the October 27, 2015, meeting, representatives of the TOC reached consensus that no remedies beyond those currently planned or underway are necessary to address the WY2014 exceedance.

WY2017 results of the alternative methods for the 12-month TP FWMCs were both higher than the long-term limits. At the May 1, 2018, meeting, the TOC determined that the WY2017 Shark River Slough FWMC TP exceedance was the result of extraordinary natural phenomena.

## Reporting Period Update

**Table 3** presents the 12-month FWMCs for each month with the corresponding long-term TP concentration limits calculated using the 12-month period flow.

For the 12-month periods ending in July, August, and September 2018, both of the 12-month TP FWMCs calculated using Method 1 and Method 2 were all 7.3 ppb. The 12-month long-term limits, based on the total flow into Shark River Slough, were all 7.6 ppb for both methods (**Table 3**).

The TP FWMCs for the 12-month period ending in September 2018 were below the long-term limit for both methods. Therefore, inflows to Shark River Slough met the TP limit for WY2018.

The Consent Decree stipulates that the percentage of TP FWMCs greater than 10 ppb from each sampling event in any 12-month period must not exceed a guideline value based on flow into Shark River Slough for the same 12-month period. For the 12-month periods ending July, August, and September 2018, the sampling event TP concentration greater than 10 ppb were all 30.8 (30.8) percent and were lower than the guideline.

The 12-month TP FWMCs and the TP FWMCs for individual sampling events are presented in **Figure 6**.

Daily flows through the individual Shark River Slough structures from October 2015 through September 2018 are presented in **Figures 7** through **10**.

A total of 1,281 kac-ft of water was discharged through the S12 structures and 440 kac-ft through the S333 structure during WY2018. There was no discharge through S355A or S355B gates. However, there was 11 kac-ft through the S355B temporary pumps, and 29 kac-ft through S356 during WY2018. 164 kac-ft of water from the L-29 Canal was discharged through S334 during WY2018 (**Figure 8**).

For additional information on the Water Conservation Area 3A regulation schedule, please refer to the United States Army Corps of Engineers – Jacksonville District website.<sup>1</sup>

The relationship between the sum of the daily flows at Shark River Slough structures and corresponding TP FWMCs for individual sampling events is presented in **Figure 10**.

---

<sup>1</sup> <http://w3.saj.usace.army.mil/h2o/plots.htm>





Figure 4. ENP flow structures.



**Figure 5.** The 12-month TP FWMCs at inflows to ENP through Shark River Slough at the end of each water year compared to the interim and long-term total phosphorus limits. For WY2018, FWMCs calculated using Method 1 and Method 2 were both 7.3 ppb, which were below the long-term limit of 7.6 ppb for both methods.

**Table 3.** Shark River Slough TP compliance tracking.


12-Month Period	Total Flow (kac-ft)	Flow-Weighted Mean TP Concentration (ppb)	Long-Term Limit (ppb) <i>Effective 12/31/2006</i>	Percent of Sampling Events Greater than 10 ppb	
				Guideline	Observed
Nov 2014 - Oct 2015	288.7 (303.8)	8.5 (8.5)	11.8 (11.7)	62.6 (62.0)	15.4 (15.4)
Dec 2014 - Nov 2015	254.4 (285.3)	8.8 (8.7)	12.0 (11.8)	63.9 (62.7)	15.4 (15.4)
Jan 2015 - Dec 2015	356.8 (398.3)	8.1 (7.9)	11.4 (11.1)	60.1 (58.7)	15.4 (15.4)
Feb 2015 - Jan 2016	458.9 (511.3)	7.6 (7.4)	10.8 (10.5)	56.6 (54.9)	15.4 (15.4)
Mar 2015 - Feb 2016	639.4 (691.9)	6.9 (6.8)	9.8 (9.5)	50.9 (49.4)	15.4 (15.4)
Apr 2015 - Mar 2016	848.3 (900.8)	6.6 (6.5)	8.7 (8.4)	45.1 (43.8)	7.7 (7.7)
May 2015 - Apr 2016	995.3 (1,047.9)	6.7 (6.6)	7.9 (7.7)	41.6 (40.4)	6.7 (6.7)
Jun 2015 - May 2016	1,076.9 (1,129.6)	6.8 (6.8)	7.6 (7.6)	40.1 (40.1)	11.1 (11.1)
Jul 2015 - Jun 2016	1,147.8 (1,200.5)	7.0 (6.9)	7.6 (7.6)	40.1 (40.1)	15.0 (15.0)
Aug 2015 - Jul 2016	1,250.3 (1,303.1)	7.1 (7.1)	7.6 (7.6)	40.1 (40.1)	18.2 (18.2)
Sep 2015 - Aug 2016	1,341.4 (1,397.3)	7.2 (7.2)	7.6 (7.6)	40.1 (40.1)	16.7 (16.7)
<b>Oct 2015 - Sep 2016</b>	<b>1,444.5 (1,494.8)</b>	<b>7.2 (7.2)</b>	<b>7.6 (7.6)</b>	<b>40.1 (40.1)</b>	<b>15.4 (15.4)</b>
Nov 2015 - Oct 2016	1,441.9 (1482.8)	6.8 (6.8)	7.6 (7.6)	40.1 (40.1)	11.1 (11.1)
Dec 2015 - Nov 2016	1,462.5 (1,487.6)	6.7 (6.7)	7.6 (7.6)	40.1 (40.1)	11.1 (11.1)
Jan 2016 - Dec 2016	1,344.5 (1,359.1)	6.8 (6.8)	7.6 (7.6)	40.1 (40.1)	11.5 (11.5)
Feb 2016 - Jan 2017	1,231.9 (1,235.7)	6.9 (6.9)	7.6 (7.6)	40.1 (40.1)	11.5 (11.5)
Mar 2016 - Feb 2017	1,041.5 (1,045.3)	7.3 (7.3)	7.7 (7.7)	40.5 (40.5)	11.5 (11.5)
Apr 2016 - Mar 2017	825.2 (829.0)	7.7 (7.7)	8.8 (8.8)	45.7 (45.6)	12.0 (11.5)
May 2016 - Apr 2017	681.8 (685.6)	7.8 (7.8)	9.5 (9.5)	49.6 (49.5)	16.0 (15.4)
Jun 2016 - May 2017	602.3 (606.1)	7.6 (7.6)	10.0 (9.9)	52.0 (51.9)	20.8 (20.0)
Jul 2016 - Jun 2017	648.9 (662.7)	11.9 (11.9)	9.7 (9.7)	50.6 (50.5)	25.0 (24.0)
Aug 2016 - Jul 2017	768.2 (772.0)	10.7 (10.7)	9.1 (9.1)	47.2 (47.1)	20.8 (20.0)
Sep 2016 - Aug 2017	871.9 (872.7)	10.1 (10.1)	8.5 (8.5)	44.5 (44.5)	20.8 (20.0)
<b>Oct 2016 - Sep 2017</b>	<b>1,010.6 (1,014.8)</b>	<b>9.7 (9.7)</b>	<b>7.9 (7.8)</b>	<b>41.2 (41.1)</b>	<b>20.8 (20.0)</b>
Nov 2016 - Oct 2017	1,288.7 (1,292.8)	8.7 (8.7)	7.6 (7.6)	40.1 (40.1)	20.8 (20.0)
Dec 2016 - Nov 2017	1,541.3 (1,545.3)	8.1 (8.1)	7.6 (7.6)	40.1 (40.1)	20.8 (20.0)
Jan 2017 - Dec 2017	1,757.6 (1,761.6)	7.8 (7.8)	7.6 (7.6)	40.1 (40.1)	20.8 (20.0)
Feb 2017 - Jan 2018	1,854.1 (1,858.9)	7.7 (7.7)	7.6 (7.6)	40.1 (40.1)	20.8 (20.0)
Mar 2017 - Feb 2018	1,891.4 (1,896.2)	7.7 (7.7)	7.6 (7.6)	40.1 (40.1)	20.8 (20.0)
Apr 2017 - Mar 2018	1,901.4 (1,906.1)	7.7 (7.7)	7.6 (7.6)	40.1 (40.1)	28.0 (28.0)
May 2017 - Apr 2018	1,911.8 (1,916.5)	7.7 (7.7)	7.6 (7.6)	40.1 (40.1)	34.6 (34.6)
Jun 2017 - May 2018	1,952.0 (1,957.6)	8.4 (8.4)	7.6 (7.6)	40.1 (40.1)	34.6 (34.6)
Jul 2017 - Jun 2018	1,953.5 (1,959.1)	7.1 (7.1)	7.6 (7.6)	40.1 (40.1)	30.8 (30.8)
Aug 2017 - Jul 2018	1,889.8 (1,895.4)	7.3 (7.3)	7.6 (7.6)	40.1 (40.1)	30.8 (30.8)
Sep 2017 - Aug 2018	1,844.6 (1,859.1)	7.3 (7.3)	7.6 (7.6)	40.1 (40.1)	30.8 (30.8)
<b>Oct 2017 - Sep 2018</b>	<b>1,731.8 (1,761.0)</b>	<b>7.3 (7.3)</b>	<b>7.6 (7.6)</b>	<b>40.1 (40.1)</b>	<b>30.8 (30.8)</b>

## Notes:


- Key to units: kac-feet – thousand acre feet; and ppb – parts per billion (values are actually in µg/L [micrograms per liter], which, for the purposes of this report, are equivalent to ppb).
- Compliance is evaluated annually based on the 12-month TP FPMC for the federal WY ending on September 30. The compliance periods are shown as highlighted rows with bold, italicized text.
- Results of both Method 1 and Method 2 are presented:
  - Method 1 (left value) is computed as S12s + (S333 + S355A + S355B - S334).
  - Method 2 (value in parentheses) is computed as S12s + (S333 + S355A + S355B + S356 - S334) using all flow and TP grabs on biweekly compliance sampling dates.

Neither method excludes S334 flow from the total flow for long-term limit calculations.






**Figure 6.** The 12-month TP FWMCs in inflows to ENP through Shark River Slough at the end of each month and the TP FWMC for each sampling event using Method 1.



**Figure 7.** Daily flows at Shark River Slough structures as a stacked sum of all inflows.



**Figure 8.** Daily flows into and out of the L-29 Canal.




Figure 9. Daily flows at S12 structures to Shark River Slough.





Figure 10. Daily flows at individual inflow structures to the L-29 Canal.



**Figure 11.** Flow to Shark River Slough on the day of sampling and the corresponding TP FWMCs for individual sampling events using Method 1.

## Taylor Slough and Coastal Basins

### Background

Under the Consent Decree, a single TP long-term limit of 11 ppb, to be met by December 31, 2006, was set for the two points of inflow to Taylor Slough (S332 and S175) and the inflow point to Coastal Basins (S18C) (see **Appendix C**). The 12-month TP FWMCs have consistently been lower than the long-term limit of 11 ppb.

Inflow TP concentrations to ENP through Taylor Slough and Coastal Basins are compared to the 11 ppb limit at the end of each water year using data from both the old (S175, S332, and S18C) and new (S174, S332D, and S18C) combinations of structures (**Figure 5**). The narrow bars in **Figure 5** represent the 12-month TP FWMCs from S332, S175, and S18C for WY1991 through WY2002. The wider bars for WY1999 and forward represent the new combination of structures.

TP and flow data from both sets of structures presented in prior editions of this report through December 2001 (April 2002 report) showed that, beginning in October 2000, the 12-month moving total flow for S332D, S174, and S18C was consistently greater than flow at S332, S175, and S18C. There was also a shift in TP FWMC data whereby S332D, S174, and S18C concentrations became equal to, and then consistently lower than, the concentrations at S332, S175, and S18C. These changes reflected the switch from S332 to S332D for water delivery to Taylor Slough between July 3 and July 5, 2000. Furthermore, the S174 site was plugged in September 2007, preventing any additional flow. Consequently, for WY2002 through WY2007, compliance tracking was represented by S332D, S174, and S18C. Since WY2008, S332D and S18C have represented the compliance tracking structures.

Three alternative methods were proposed for the 12-month TP FWMC compliance tracking calculation for Taylor Slough and Coastal Basins. Method 1, computed as  $S332D + S18C$ ; Method 2, computed as  $S332D + S18C + G737$ ; and Method 3, computed as  $(S332D - S332DX1 - S328) + S328 + S18C + G737$ .

Results of the alternative methods for the 12-month TP FWMCs for the 12-month period ending on September 30, 2018, were 6.2, 6.0, and 5.8 ppb for Method 1, Method 2, and Method 3, respectively, and lower than the 11.0 ppb long-term limits. Therefore, inflows into ENP through Taylor Slough and Coastal Basins met the TP limit for WY2018.

### Reporting Period Update

**Figure 6** presents the 12-month and individual sampling event TP FWMCs at the S332D and S18C structures. All TP grab sample concentrations taken on positive flow days reported for surface water monitoring at the sites were used for the compliance calculations.


The daily flows into ENP through S332D, G737, and S18C are presented in **Figure 7**. The daily flow at S200 Pump Station on the days when the G737 gates were open were used as the surrogate daily flow data for G737. Daily flows from S332D pumps and downstream structures are presented in **Figure 8**. Daily flows at individual Taylor Slough and Coastal Basins structures into ENP are presented in **Figure 9**.

For the periods ending July, August, and September 2018, the 12-month TP FWMCs for Method 1 were 6.1, 6.0, and 6.2 ppb, respectively; for Method 2, they were 6.0, 5.9, and 6.0 ppb, respectively; and for Method 3, they were 5.9, 5.8, and 5.8 ppb, respectively (**Table 4**).


The Consent Decree stipulates that the percent of TP FWMCs greater than 10 ppb from each sampling event in any 12-month period must not exceed the fixed guideline of 53.1 percent (**Table 4**). During WY2018, there were only two sampling events with TP concentrations greater than 10 ppb for all three methods (12 ppb for all 3 methods on April 17, 2018, and 15 ppb for Method 1 and 14 ppb for Methods 2 and 3 on September 4, 2018).

**Figure 10** shows the relationship between the daily inflows and the corresponding TP FWMCs for each sampling event for Method 1. The sampling event TP FWMCs generally remained low. The averages of the sampling event TP FWMCs were 5.3, 5.2, and 5.1 ppb, respectively, for Methods 1, 2, and 3 in the third quarter of 2018.

The United States Army Corps of Engineers authorized the C-111 Spreader Canal project in 1995 to restore more natural hydrologic conditions in Taylor Slough and to maintain flood protection to the east of the L-31N and C-111 canals. The original project facilities consisted of pump stations (S332B, S332C, and S332D), detention cells (Cell 1 through Cell 5), a connector cell between Cell 2 and Cell 3, a flow-way cell originating at Berm B3 of Cell 5, and four diversion structures (DS1 through DS4). DS4 is now known as S328. Upon completion of United States Army Corps of Engineers construction contracts 8, 8A, and 9 in 2018, an interconnected detention system now exists starting at the S357 discharge to 8.5 Square Mile Area Detention Cell and continuing to the S332D Detention Area.




**Figure 12.** The 12-month TP FWMCs in inflows to ENP through Taylor Slough and Coastal Basins at the end of each water year compared to the 11 ppb long-term TP limit. Blue bars show S332D, S174, and S18C for WY1999 through WY2007, and S332D and S18C (Method 1) from WY2008 to WY2018.




**Figure 13.** The 12-month TP FWMCs in inflows to ENP through Taylor Slough and Coastal Basins at the end of each month and the TP FVMC for each sampling event (Method 1).






**Figure 14.** Daily flows into ENP as a stacked sum of Taylor Slough (structures S332D and G737) and Coastal Basins (structure S18C).



**Figure 15.** Daily flows from S332D pumps overlaid with stacked daily flows at downstream structures.




**Figure 16.** Daily flows at individual Taylor Slough and Coastal Basins structures into ENP. The daily flow at S200 Pump Station on the days when the G737 gates were open were used as the surrogate daily flow data for G737.

**Table 4.** Taylor Slough and Coastal Basins TP compliance tracking.

12-Month Period	Total Flow (kac-ft)	Flow-Weighted Mean TP Concentration (ppb)	Long-Term Limit (ppb) <i>Effective 12/31/2006</i>	Percent of Sampling Events Greater than 10 ppb	
				Guideline	Observed
Nov 2014 - Oct 2015	107.3	4.5	11.0	53.1	0.0
Dec 2014 - Nov 2015	93.1	4.5	11.0	53.1	0.0
Jan 2014 - Dec 2015	122.4	5.3	11.0	53.1	0.0
Feb 2015 - Jan 2016	139.4	5.2	11.0	53.1	0.0
Mar 2015 - Feb 2016	162.2	5.1	11.0	53.1	0.0
Apr 2015 - Mar 2016	187.2	5.1	11.0	53.1	0.0
May 2015 - Apr 2016	207.9	5.1	11.0	53.1	0.0
Jun 2015 - May 2016	247.2	5.2	11.0	53.1	0.0
Jul 2015 - Jun 2016	278.4	5.2	11.0	53.1	0.0
Aug 2015 - Jul 2016	300.7	5.2	11.0	53.1	0.0
Sep 2015 - Aug 2016	330.9	5.2	11.0	53.1	0.0
<b>Oct 2015 - Sep 2016</b>	<b>361.3</b>	<b>5.3</b>	<b>11.0</b>	<b>53.1</b>	<b>0.0</b>
Nov 2015 - Oct 2016	391.0	5.2	11.0	53.1	0.0
Dec 2015 - Nov 2016	423.0	5.2	11.0	53.1	0.0
Jan 2016 - Dec 2016	399.5	5.0	11.0	53.1	0.0
Feb 2016 - Jan 2017	384.1	5.0	11.0	53.1	0.0
Mar 2016 - Feb 2017	368.1	5.1	11.0	53.1	0.0
Apr 2016 - Mar 2017	345.0	5.1	11.0	53.1	0.0
May 2016 - Apr 2017	321.7	5.1	11.0	53.1	0.0
Jun 2016 - May 2017	282.1	5.0	11.0	53.1	0.0
Jul 2016 - Jun 2017	290.9 (291.4, 285.0)	5.1 (5.1, 5.1)	11.0	53.1	0.0
Aug 2016 - Jul 2017	322.1 (336.4, 329.9)	5.2 (5.2, 5.2)	11.0	53.1	0.0
Sep 2016 - Aug 2017	346.6 (374.6, 368.2)	5.3 (5.3, 5.3)	11.0	53.1	0.0
<b>Oct 2016 - Sep 2017</b>	<b>383.3 (420.1, 413.7)</b>	<b>5.9 (5.9, 6.0)</b>	<b>11.0</b>	<b>53.1</b>	<b>1.6 (1.6, 1.6)</b>
Nov 2016 - Oct 2017	413.4 (463.8, 457.3)	5.9 (6.0, 6.0)	11.0	53.1	1.8 (1.8, 1.8)
Dec 2016 - Nov 2017	414.5 (478.2, 471.8)	6.0 (6.1, 6.0)	11.0	53.1	1.9 (1.9, 1.9)
Jan 2017 - Dec 2017	441.4 (518.5, 512.1)	6.1 (6.1, 6.0)	11.0	53.1	2.0 (2.0, 2.0)
Feb 2017 - Jan 2018	464.4 (545.5, 539.1)	6.0 (6.1, 6.0)	11.0	53.1	2.3 (2.3, 2.3)
Mar 2017 - Feb 2018	485.3 (566.4, 547.9)	6.0 (6.1, 6.0)	11.0	53.1	2.3 (2.3, 2.3)
Apr 2017 - Mar 2018	499.1 (580.1, 555.0)	6.1 (6.1, 6.0)	11.0	53.1	2.2 (2.2, 2.2)
May 2017 - Apr 2018	503.0 (584.1, 559.0)	6.1 (6.1, 6.0)	11.0	53.1	4.3 (4.3, 4.3)
Jun 2017 - May 2018	526.0 (607.0, 581.9)	6.1 (6.2, 6.1)	11.0	53.1	3.8 (3.8, 3.8)
Jul 2017 - Jun 2018	512.2 (592.9, 574.2)	6.1 (6.2, 6.0)	11.0	53.1	3.8 (3.8, 3.8)
Aug 2017 - Jul 2018	476.3 (555.2, 536.5)	6.1 (6.0, 5.9)	11.0	53.1	3.7 (3.7, 3.7)
Sep 2017 - Aug 2018	448.6 (527.5, 508.8)	6.0 (5.9, 5.8)	11.0	53.1	3.8 (3.8, 3.8)
<b>Oct 2017 - Sep 2018</b>	<b>413.3 (500.4, 481.7)</b>	<b>6.2 (6.0, 5.8)</b>	<b>11.0</b>	<b>53.1</b>	<b>3.8 (3.8, 3.8)</b>

## Notes:

- Key to units: kac-feet – thousand acre feet; ppb – parts per billion (values are actually in µg/L [micrograms per liter], which, for the purposes of this report, are equivalent to ppb).
- Compliance is evaluated annually based on the 12-month TP FPMC for the federal WY ending on September 30. The compliance periods are shown as highlighted rows with bold, italicized text.
- From the 12-month period ending June 2017, results of Method 1, Method 2, and Method 3 are presented:
  - Method 1 (left value) is computed as S332D + S18C.
  - Method 2 (first value in parentheses) is computed as S332D + S18C + G737.
  - Method 3 (second value in parentheses) is computed as (S332D - S332DX1 - S328) + S328 + S18C + G737.



**Figure 17.** Flow from Taylor Slough and Coastal Basins structures (S332D and S18C) on the days of sampling, and the corresponding TP FWMCs for individual sampling events (Method 1).

## APPENDIX A

### MONTHLY TOTAL PHOSPHORUS CONCENTRATION DATA FOR THE ARTHUR R. MARSHALL LOXAHATCHEE NATIONAL WILDLIFE REFUGE

TP concentration data used in this report can be directly retrieved from the South Florida Water Management District's DBHYDRO database by copying and pasting the following link into the address field of a web browser:

[http://my.sfwmd.gov/dbhydroplsql/water\\_quality\\_data.report\\_full?v\\_where\\_clause=where+station\\_id+like+\('LOX%25'\)+and+station\\_id+not+like+\('LOXA%25'\)+and+test\\_number+=+25+and+date\\_collected+>='01-JUL-2018'+and+date\\_collected+<+'01-OCT-2018'+and+sample\\_type\\_new+=+'SAMP'&v\\_target\\_code=file\\_csv](http://my.sfwmd.gov/dbhydroplsql/water_quality_data.report_full?v_where_clause=where+station_id+like+('LOX%25')+and+station_id+not+like+('LOXA%25')+and+test_number+=+25+and+date_collected+>='01-JUL-2018'+and+date_collected+<+'01-OCT-2018'+and+sample_type_new+=+'SAMP'&v_target_code=file_csv)

The link above only generates data that have not been qualified. Qualified water quality data must be retrieved interactively via the DBHYDRO browser.

Stage data for stations 1-7, 1-8C, and 1-9 from the reporting quarter can be retrieved by copying and pasting the following link into the address field of a web browser:

[http://my.sfwmd.gov/dbhydroplsql/web\\_io.report\\_process?v\\_period=uspec&v\\_start\\_date=20180701&v\\_end\\_date=20180930&v\\_report\\_type=format7&v\\_target\\_code=file\\_csv&v\\_run\\_mode=onLine&v\\_js\\_flag=Y&v\\_dbkey=FE775/FE776/FE777](http://my.sfwmd.gov/dbhydroplsql/web_io.report_process?v_period=uspec&v_start_date=20180701&v_end_date=20180930&v_report_type=format7&v_target_code=file_csv&v_run_mode=onLine&v_js_flag=Y&v_dbkey=FE775/FE776/FE777)

**Table A-1.** Arthur R. Marshall Loxahatchee National Wildlife Refuge monthly TP data (in parts per billion).

Month-Year	LOX3	LOX4	LOX5	LOX6	LOX7	LOX8	LOX9	LOX10	LOX11	LOX12	LOX13	LOX14	LOX15	LOX16
Oct-2015	9	8	12	8	7	7	7	8	6	6	6	5	6	11
Nov-2015	6	6	6	5	7	6	7	7	7	6	7	5	6	8
Dec-2015	5	5	6	5	15	6	5	6	6	6	5	(4)	(6)	7
Jan-2016	8	8	8	6	7	7	6	7	6	7	6	5	5	6
Feb-2016	5	8	6	4	5	7	5	5	5	5	6	4	4	6
Mar-2016	5	6	6	8	7	8	6	7	5	5	4	6	5	7
Apr-2016	8	7	8	7	7	8	8	8	5	8	7	5	5	7
May-2016	---	0	---	9	14	10	---	---	10	8	8	8	6	8
Jun-2016	---	15	---	7	8	---	---	---	7	7	7	8	4	6
Jul-2016	8	12	10	6	6	8	8	7	7	6	7	5	5	---
Aug-2016	---	---	---	---	---	---	---	---	5	6	7	6	8	8
Sep-2016	10	11	8	5	6	6	9	10	7	8	6	5	6	9
Oct-2016	6	8	4	6	6	5	7	9	5	10	5	6	4	7
Nov-2016	7	12	11	5	8	7	7	14	5	6	5	5	5	6
Dec-2016	7	7	5	4	5	7	5	6	5	5	5	6	5	8
Jan-2017	8	9	---	5	7	10	7	7	6	7	8	6	6	8
Feb-2017	5	4	---	4	5	5	5	4	4	5	3	4	4	6
Mar-2017	---	8	---	5	7	7	10	8	4	5	5	3	4	6
Apr-2017	---	---	---	6	---	---	---	---	7	7	7	7	5	7
May-2017	9	11	---	8	8	9	10	11	8	7	7	7	6	9
Jun-2017	12	15	10	6	11	10	9	8	7	5	7	7	5	5
Jul-2017	10	8	10	4	8	---	13	9	6	7	7	8	7	9
Aug-2017	6	8	8	5	6	6	7	6	6	6	7	7	7	8
Sep-2017	---	10	9	8	7	8	8	8	8	6	6	7	7	6
Oct-2017	7	11	7	6	10	10	9	9	6	8	7	6	6	7
Nov-2017	5	9	5	5	6	8	6	6	5	5	5	5	4	5
Dec-2017	6	6	9	6	7	13	9	9	7	8	6	6	6	6
Jan-2018	4	6	5	4	6	6	5	5	5	4	3	4	3	4
Feb-2018	5	6	6	4	8	8	7	7	6	5	5	6	4	6
Mar-2018	6	5	5	8	5	8	5	6	6	6	6	7	5	7
Apr-2018	---	---	---	7	12	12	---	---	11	9	8	9	7	9
May-2018	---	6	---	5	6	---	---	---	6	9	5	8	6	7
Jun-2018	8	8	9	7	6	12	7	8	6	6	7	8	6	7
Jul-2018	6	10	8	7	8	8	7	---	10	6	6	8	8	7
Aug-2018	6	9	---	7	6	6	5	---	7	9	9	8	6	8
Sep-2018	4	7	4	6	7	7	4	9	5	7	6	6	7	7

**Notes:**

--- indicates sample was not collected due to insufficient water depth.

( ) LOX14 and LOX15 water quality samples taken on December 2, 2015, were discarded due to processing errors and resampled on December 3, 2015.

## APPENDIX B

### WEEKLY GRAB TOTAL PHOSPHORUS CONCENTRATION DATA FOR SHARK RIVER SLOUGH

TP concentration data used in this report can be directly retrieved from the South Florida Water Management District's DBHYDRO database by copying and pasting the following link into the address field of a web browser:

[http://my.sfwmd.gov/dbhydroplsql/water\\_quality\\_data.report\\_full?v\\_where\\_clause=where+station\\_id+in+\('S12A','S12B','S12C','S12D','S333','S355A','S355B','S356-334'\)+and+test\\_number+=+25+and+collect\\_method+=+'G'+and+date\\_collected+>='01-JUL-2018'+and+date\\_collected+<='01-OCT-2018'+and+sample\\_type\\_new+=+'SAMP'&v\\_target\\_code=file\\_csv](http://my.sfwmd.gov/dbhydroplsql/water_quality_data.report_full?v_where_clause=where+station_id+in+('S12A','S12B','S12C','S12D','S333','S355A','S355B','S356-334')+and+test_number+=+25+and+collect_method+=+'G'+and+date_collected+>='01-JUL-2018'+and+date_collected+<='01-OCT-2018'+and+sample_type_new+=+'SAMP'&v_target_code=file_csv)

The link only generates data that have not been qualified. Qualified water quality data must be retrieved interactively via the DBHYDRO browser.

The "Preferred DBKEY" daily mean flow data for stations S12A, S12B, S12C, S12D, S333, and S334 and daily mean flow data for stations S355A, S355B, S355B Temporary Pumps, and S356, during the reporting quarter can be retrieved by copying and pasting the following link into the address field of a web browser:

[http://my.sfwmd.gov/dbhydroplsql/web\\_io.report\\_process?v\\_period=uspec&v\\_start\\_date=20180701&v\\_end\\_date=20180930&v\\_report\\_type=format7&v\\_target\\_code=file\\_csv&v\\_run\\_mode=onLine&v\\_js\\_flag=Y&v\\_dbkey=FE771/FE772/FE773/FE774/15042/FB752/MQ895/MQ896/AM173/64136](http://my.sfwmd.gov/dbhydroplsql/web_io.report_process?v_period=uspec&v_start_date=20180701&v_end_date=20180930&v_report_type=format7&v_target_code=file_csv&v_run_mode=onLine&v_js_flag=Y&v_dbkey=FE771/FE772/FE773/FE774/15042/FB752/MQ895/MQ896/AM173/64136)

**Table B-1.** Weekly grab TP data (in parts per billion) for Shark River Slough.

Date	S12A	S12B	S12C	S12D	S333	S355A	S355B	S356	Remarks
10/02/2017	6	6	5	8	9	7	6	7	Compliance date
10/09/2017	8	6	6	7	7	---	---	14	N/A
10/16/2017	8	5	4	6	7	6	12	9	Compliance date
10/23/2017	8	7	5	8	7	---	---	10	N/A
10/30/2017	7	6	5	7	7	---	---	10	Compliance date
11/06/2017	7	6	6	8	7	---	---	9	N/A
11/13/2017	5	4	4	6	7	6	11	12	Compliance date
11/20/2017	5	4	4	6	5	---	---	12	N/A
11/27/2017	5	4	3	6	6	---	---	10	Compliance date
12/04/2017	5	6	4	6	5	---	---	14	N/A
12/11/2017	4	5	4	6	6	4	6	8	Compliance date
12/18/2017	4	5	3	6	7	---	---	7	N/A
12/26/2017	5	4	5	6	7	---	---	7	Compliance date
01/02/2018	10	---	5	6	7	---	---	8	N/A
01/08/2018	5	---	4	5	4	5	4	6	Compliance date
01/16/2018	10	---	6	7	6	---	---	7	N/A
01/22/2018	8	10	5	5	6	3	3	5	Compliance date
01/29/2018	11	---	6	6	6	---	---	6	N/A
02/05/2018	12	---	---	7	8	---	---	8	Compliance date
02/12/2018	13	---	---	9	10	---	---	9	N/A
02/19/2018	15	---	---	8	9	10	13	10	Compliance date
02/26/2018	17	---	---	---	11	---	---	10	N/A
03/05/2018	21	---	---	10	14	12	12	12	Compliance date
03/12/2018	19	---	---	9	9	---	---	11	N/A
03/19/2018	23	---	---	11	12	---	---	14	Compliance date
03/26/2018	24	---	---	11	12	---	---	12	N/A
04/02/2018	32	---	---	14	14	---	---	16	Compliance date
04/09/2018	38	---	---	15	24	---	---	18	N/A
04/16/2018	39	26	18	15	18	67	74	19	Compliance date
04/23/2018	47	---	---	20	30	---	---	19	N/A
04/30/2018	44	---	---	24	32	---	---	22	Compliance date
05/07/2018	46	---	---	24	32	---	---	22	N/A
05/14/2018	42	---	---	30	23	60	123	27	Compliance date
05/21/2018	24	---	---	20	18	---	---	9	N/A
05/29/2018	30	---	12	14	53	---	---	9	Compliance date
06/04/2018	23	---	9	12	46	---	---	8	N/A
06/11/2018	20	---	10	12	16	12	12	10	Compliance date
06/18/2018	15	---	7	10	9	---	---	11	N/A
06/25/2018	18	---	8	12	9	---	---	11	Compliance date
07/02/2018	14	---	11	8	8	---	---	11	N/A
07/09/2018	9	9	7	9	7	10	10	9	Compliance date
07/16/2018	7	5	9	9	8	---	---	10	N/A
07/23/2018	6	7	8	9	10	---	---	8	Compliance date
07/30/2018	6	5	7	8	11	---	---	8	N/A
08/06/2018	6	6	7	8	8	7	6	8	Compliance date
08/13/2018	6	6	7	8	7	---	---	8	N/A
08/20/2018	7	7	8	NOB	8	---	6	7	Compliance date
08/27/2018	G	G	G	G	G	---	---	G	N/A
09/04/2018	6	4	6	7	6	5	5	4	Compliance date
09/10/2018	4	5	6	8	7	---	---	5	N/A
09/17/2018	6	4	6	8	7	---	---	4	Compliance date
09/24/2018	5	4	5	7	6	---	---	6	N/A

**Notes:**

--- indicates water sample was not collected.

"Compliance date" indicates biweekly sampling date for Consent Decree calculation.

"N/A" indicates sampling data presented for informational purposes only.

NOB: No Bottle; sampling area inaccessible due to large floating mats of vegetation. No clear, representative area to collect sample. No sample collected.

G: Analyte was detected at or above the method detection limit in both the sample and the associated field blank, equipment blank, or trip blank, and the blank value was greater than 10% of the associated sample value.



## APPENDIX C

### WEEKLY GRAB TOTAL PHOSPHORUS CONCENTRATION DATA FOR TAYLOR SLOUGH AND COASTAL BASINS

TP concentration data used in this report can be directly retrieved from the South Florida Water Management District's DBHYDRO database by copying and pasting the following link into the address field of a web browser:

[http://my.sfwmd.gov/dbhydroplsql/water\\_quality\\_data.report\\_full?v\\_where\\_clause=where+station\\_id+in+\('S332DX','S18C','S328','G737'\)+and+test\\_number+=+25+and+collect\\_method+=+'G'+and+date\\_collected+>='01-JUL-2018'+and+date\\_collected+<='01-OCT-2018'+and+sample\\_type\\_new+=+'SAMP'+v\\_target\\_code=file\\_csv](http://my.sfwmd.gov/dbhydroplsql/water_quality_data.report_full?v_where_clause=where+station_id+in+('S332DX','S18C','S328','G737')+and+test_number+=+25+and+collect_method+=+'G'+and+date_collected+>='01-JUL-2018'+and+date_collected+<='01-OCT-2018'+and+sample_type_new+=+'SAMP'+v_target_code=file_csv)

The link only generates data that have not been qualified. Qualified water quality data must be retrieved interactively via the DBHYDRO browser.

The "Preferred DBKEY" daily mean flow data for stations at Taylor Slough and the Coastal Basins (S332D, S18C, S328, and G737) during the reporting quarter can be retrieved by copying and pasting the following link into the address field of a web browser:

[http://my.sfwmd.gov/dbhydroplsql/web\\_io.report\\_process?v\\_period=uspec&v\\_start\\_date=20180701&v\\_end\\_date=20180930&v\\_report\\_type=format7&v\\_target\\_code=file\\_csv&v\\_run\\_mode=onLine&v\\_js\\_flag=Y&v\\_dbkey=15760/TA413/AN558/AI315](http://my.sfwmd.gov/dbhydroplsql/web_io.report_process?v_period=uspec&v_start_date=20180701&v_end_date=20180930&v_report_type=format7&v_target_code=file_csv&v_run_mode=onLine&v_js_flag=Y&v_dbkey=15760/TA413/AN558/AI315)

The daily flow at S200 Pump Station on the days when the G737 gates were open were used as the surrogate daily flow data for G737. The break point gate opening data can be assessed using the following link:

[http://my.sfwmd.gov/dbhydroplsql/web\\_io.report\\_process?v\\_period=uspec&v\\_start\\_date=20180701&v\\_end\\_date=20180930&v\\_report\\_type=format7&v\\_target\\_code=file\\_csv&v\\_run\\_mode=onLine&v\\_js\\_flag=Y&v\\_dbkey=AN670/AN671/AN672](http://my.sfwmd.gov/dbhydroplsql/web_io.report_process?v_period=uspec&v_start_date=20180701&v_end_date=20180930&v_report_type=format7&v_target_code=file_csv&v_run_mode=onLine&v_js_flag=Y&v_dbkey=AN670/AN671/AN672)

**Table C-1.** Weekly grab TP data (in parts per billion) for Taylor Slough and Coastal Basins.

Date	S332DX	S18C	S328	G737
10/03/2017	6	5	4	6
10/10/2017	6	5	10	6
10/17/2017	7	5	6	6
10/24/2017	6	--	4	--
10/31/2017	5	4	6	--
11/07/2017	6	6	6	--
11/14/2017	6	6	8	--
11/21/2017	6	--	4	--
11/22/2017	--	4	--	--
11/28/2017	7	5	5	--
12/05/2017	7	5	8	--
12/12/2017	8	6	4	--
12/19/2017	5	5	5	--
12/26/2017	6	4	4	--
01/02/2018	7	5	4	--
01/09/2018	6	3	5	--
01/16/2018	5	4	4	--
01/23/2018	5	4	4	8
01/30/2018	5	4	4	6
02/06/2018	7	5	5	6
02/13/2018	6	4	5	6
02/20/2018	6	4	5	18
02/27/2018	7	6	6	6
03/06/2018	7	3	16	4
03/13/2018	8	9	20	7
03/20/2018	9	6	47	18
03/27/2018	9	5	J	15

Date	S332DX	S18C	S328	G737
04/03/2018	9	6	--	--
04/10/2018	11	7	J	J
04/17/2018	12	6	J	J
04/24/2018	13	5	J	--
05/01/2018	15	8	Y, J	--
05/08/2018	14	8	J	--
05/15/2018	G	10	J	--
05/22/2018	7	7	44	--
05/29/2018	7	7	21	--
06/05/2018	6	5	J	--
06/12/2018	7	6	J	--
06/19/2018	7	5	J	--
06/26/2018	7	5	J	--
07/02/2018	5	4	J	--
07/10/2018	5	5	J	5
07/17/2018	5	4	J	5
07/24/2018	5	4	23	4
07/31/2018	5	5	J	4
08/07/2018	4	4	J	5
08/14/2018	6	4	19	5
08/21/2018	6	4	14	4
08/28/2018	5	4	10	4
09/04/2018	8	17	85	6
09/11/2018	6	4	3	3
09/18/2018	5	5	4	5
09/25/2018	5	3	3	4

**Notes:**

-- indicates water sample was not collected.

G indicates that analyte was detected at or above the method detection limit in both the sample and the associated field blank, equipment blank, or trip blank, and the blank value was greater than 10 percent of the associated sample value.

J indicates the sample was collected from a disconnected pool and was not representative of the surrounding water body. The surrounding area was dry.

Y indicates analysis performed on improperly preserved sample.

## **APPENDIX D**

### **CALCULATION METHODS**

## Long-Term Marsh Concentration Levels for Loxahatchee National Wildlife Refuge

### Long-Term Marsh Concentration Levels:

$$C = 10.7172 - 0.541156S + 1.372\sqrt{7.5819 - 0.9310S + 0.02902216S^2}$$

### Terms:

C = the natural log of the geometric mean total phosphorus concentration across 14 marsh stations.

S = average stage measured at gauges CA1-9, CA1-7, and CA1-8C on sampling date (feet).

This equation is applicable over a stage range of 15.42 to 17.14 feet. If the stage on any sampling date exceeds 17.14 feet, a stage of 17.14 feet should be used in calculating the long-term concentration levels. The equation shall not apply to dates when the average stage is less than 15.42 feet.

*(1991 Settlement Agreement entered as a Consent Decree in 1992 and modified in 1995, Exhibit B, Appendix B, Attachment II, page B-7)*

**Discharge Limits and Outstanding Florida Water (OFW) Standards for Shark River Slough****Interim Discharge Limit:**

$$C = 11.16 - 0.00465Q + 1.397\sqrt{6.377 - 0.00591Q + 0.00000436 Q^2}$$

**Long-Term Discharge Limit & OFW Standard:**

$$C = 11.38 - 0.00538Q + 1.397\sqrt{2.493 - 0.00231Q + 0.00000170 Q^2}$$

**Frequency Exceedance:**

$$F = 48.411 - 0.02896Q + 1.397\sqrt{330.1 - 0.3071Q + 0.0002254 Q^2}$$

**Terms:**

Water Year = October through September

Q = total inflow to Shark River Slough for water year, S-12s + S-333 + any additional inflow from the WCAs established in the future, thousand acre-ft/yr (kac-ft/yr).

C = limit on maximum flow-weighted-mean inflow concentration for any Water Year, composite of all inflows to Shark Slough (ppb).

F = exceedance for maximum frequency (percent) of inflow concentrations exceeding 10 ppb, computed from the time series of concentrations composited across all inflow structures on each sampling date with positive flow in a given Water Year.

The range of flow (Q) used in deriving the limits is 117 to 1,061 kac-ft/yr. If the total flow for any water year exceeds 1,061 kac-ft/yr, a flow of 1,061 kac-ft/yr should be used in calculating the discharge limits.

*(1991 Settlement Agreement entered as a Consent Decree in 1992 and modified in 1995, Exhibit B, Appendix A, Attachment I, page A-5)*

## Discharge Limits and OFW Standards for Taylor Slough and Coastal Basins

Long-Term Flow-Weighted Discharge Limit & OFW Standard = 11.0 ppb

### Frequency Exceedance:

Frequency of values > 10 ppb must be less than 53.1%.

### Terms:

Limits are defined on a Water Year basis, October through September.

Basin flow is the total flow through structures S-332, S-175, S-18C, plus any new release points from this basin established in the future, thousand acre-ft/yr (kac-ft/yr).

Limits apply to the flow-weighted-mean concentration for any Water Year, composite of all inflows to Taylor Slough (S-332) and Coastal Basin (S-18C).

Frequency exceedance is the exceedance for maximum frequency (percent) of inflow concentrations exceeding 10 ppb, computed from the time series of concentrations composited across all inflow structures on each sampling date with positive flow in a given Water Year.

*(1991 Settlement Agreement entered as a Consent Decree in 1992 and modified in 1995, Exhibit B, Appendix A, Attachment II, page A-6)*

## **APPENDIX E**

### **DOCUMENT REVISIONS**

**Table E-1.** Revisions to this report since initial publication.

Page/Date	Original	Revision
June 2019		
Cover	January 28, 2019	June 12, 2019
Table of Contents	Shark River Slough compliance results are published annually in this report when the final approved flow data for a federal water year (WY) are available. The WY2018 (October 1, 2017 – September 30, 2018) results will be published at that time.	This report is revised from earlier versions to include Shark River Slough compliance results using the final approved flow data for federal Water Year 2018 (October 1, 2017 – September 30, 2018).  <i>(Table of Contents was revised to reflect the revisions of the Shark River Slough Section and the change of data from 'provisional' to 'final' in Table 3, and addition of Figures 5, 6, 7, 8, 9, 10, and 11.)</i>
Page 1 Executive Summary	<ul style="list-style-type: none"> <li><b>Shark River Slough:</b> The provisional results of two calculation methods based upon provisional data are presented. The final Water Year (WY) 2018 (October 1, 2017 – September 30, 2018) 12-month TP flow weighted mean concentrations (FWMCs) will be published at a later date when the final approved flow data are available for the current federal WY.</li> </ul>	<ul style="list-style-type: none"> <li><b>Shark River Slough:</b> The 12-month TP flow-weighted mean concentrations (FWMCs) calculated using both Method 1 and Method 2 were below the 12-month long-term limit during the federal water year (WY), WY2018 (October 1, 2017 – September 30, 2018).</li> </ul>
Page 1 Table 1	<p><b>Table 1.</b> Third quarter 2017: TP compliance results for the Refuge, TP calculation provisional tracking results for Shark River Slough, and TP calculation tracking results for Taylor Slough and Coastal Basins.</p> <p><b>Everglades National Park – Shark River Slough – PROVISIONAL DATA and RESULTS</b></p> <p><i>(The 12-month moving compliance values for the quarter calculated using the provisional flow data and the methods described in the following notes were presented.)</i></p>	<p><b>Table 1.</b> Third quarter 2018: TP compliance results for the Refuge, Shark River Slough, and Taylor Slough and Coastal Basins.</p> <p><b>Everglades National Park – Shark River Slough.</b></p> <p><i>(The 12-month moving compliance values for the quarter calculated using the final approved flow data and the methods described in the following notes were presented.)</i></p>
Page 7 to 8 Everglades National Park Shark River Slough Background		<p><i>(The following paragraph, which was part of the caption for Figure 5 on page 11 was moved here.)</i></p> <p>The WY2008 concentration was above the long-term limit but, at the March 1, 2011, quarterly meeting, the TOC determined substantial evidence indicates this exceedance was due to error. The WY2012 concentration was above the long-term limit without a resampled datum and met the long-term limit with the resampled datum. The TOC reached a consensus at the April 1, 2014, quarterly meeting on a recommendation that no further technical analysis for WY2012 was necessary. The WY2014 concentration was above the long-term limit. At the October 27, 2015, meeting, the TOC reached consensus that no remedies beyond those currently planned or underway are necessary to address the WY2014 exceedance.</p>



<p>Page 7 to 16 Everglades National Park Shark River Slough Reporting Period Updates</p> <p>Page 17 to 23 Everglades National Park Taylor Slough and Coastal Basins</p> <p>Page B-1 Appendix B</p>	<p>For the 12-month period ending on September 30, 2017, both results of the alternative methods for the 12-month TP FWMCs were 9.7 ppb and higher than the long-term limits (Method 1 was 7.9 ppb and Method 2 was 7.8 ppb). Therefore, inflows to Shark River Slough did not meet the TP limit for WY 2017 (October 1, 2016 – September 30, 2017). At the May 1, 2018, meeting, representatives of the TOC determined that the WY 2017 Shark River Slough FWMC TP exceedance was the result of extraordinary natural phenomena.</p> <p>Table 3 presents the provisional 12 month FWMCs for each month with the corresponding long-term TP concentration limits calculated using the provisional 12 month period flow. WY 2018 flow data for the S12s are provisional values.</p> <p>It is anticipated that the final approved flow data for WY 2018 will be available in April 2019. The annual 12 month TP FWMC will be calculated to determine compliance with the long-term limit and will be published as a revision to this July – September 2018 third quarter report.</p> <p><i>(DBKEYS and a URL to retrieve the provisional flow data used in this report for WY2017 for stations at Shark River Slough, S12A, S12B, S12C, S12D, S333, S334, S355A, S355B, S355B Temporary Pumps, and S356 were provided.)</i></p>	<p>WY2017 results of the alternative methods for the 12-month TP FWMCs were both higher than the long-term limits. At the May 1, 2018, meeting, the TOC determined that the WY2017 Shark River Slough FWMC TP exceedance was the result of extraordinary natural phenomena.</p> <p><i>(The entire section was updated to present the third quarter 2018, inclusive of WY2018 compliance values, calculated using the approved final flow data. Table 3 was modified to reflect the final flow data for S12s, and Figures 5, 6, 7, 8, 9, and 10 were added.)</i></p> <p><i>(Figure numbers and Table numbers were adjusted to reflect the addition of the figures and tables in the Shark River Slough Section.)</i></p> <p><i>(The following paragraph was added to Reporting Period Updates Section and to Figure 9 caption.)</i></p> <p>The daily flow at S200 Pump Station on the days when the G737 gates were open were used as the surrogate daily flow data for G737.</p> <p><i>(DBKEYS and a URL to retrieve the final approved flow data used in this report for WY2018 for stations at Shark River Slough, S12A, S12B, S12C, S12D, S333, S334, S355A, S355B, S355B Temporary Pumps, and S356 were provided.)</i></p>
--	---	--

Note: Any minor typographical or grammatical errors found in the January 28, 2019, version were corrected in the June 12, 2019, version.